

Introduction

Cube of a number: for a given number x , we define cube of $x = x \times x \times x$ and is denoted by x^3 .

Perfect cube: A natural number is said to be a perfect cube if it is the cube of some natural number.

Note: A given number is a perfect cube if it can be expressed as the product of triplets of equal factors.

Cube of a rational number:

$$\left(\frac{a}{b}\right)^3 = \frac{a^3}{b^3}$$

Properties of cubes of numbers

(a) The cube of every even number is even.

(b) The cube of every odd number is odd.

Examples:

Example 1 - Show that 189 is not a perfect cube.

Solution - First we resolve 189 into prime factors:

3	189
3	63
3	21
7	7
	1

We can see $189 = 3 \times 3 \times 3 \times 7$

Here one triplet is formed and we are left with one more factor

Thus, 189 cannot be expressed as a product of triplets

Hence, 189 is not a perfect cube.

Example 2 - Show that 216 is a perfect cube. Find the number whose cube is 216.

Solution - First we resolve 216 into prime factors:

2	216
2	108
2	54
3	27
3	9
3	3
	1

We can see $216 = 2 \times 2 \times 2 \times 3 \times 3 \times 3$
 $= 2^3 \times 3^3 = (2 \times 3)^3 = 6^3$

Since 216 can be expressed as a product of triplets

Hence, 216 is a perfect cube.

And 6 is the number whose cube is 216.

Example 3 - What is the smallest number by which 3087 may be multiplied so that the product is a perfect cube?

Solution - First we resolve 3087 into prime factors:

3	3087
3	1029
7	343
7	49
7	7
	1

We have, $3087 = 7 \times 7 \times 7 \times 3 \times 3$

Since it can be seen that 3087 must be multiplied by 3 to be a perfect cube

Example 4 - What is the smallest number by which 392 may be divided so that the quotient is a perfect cube?

Solution - First we resolve 392 into prime factors:

2	392
2	196
2	98
7	49
7	7
	1

We have, $392 = 2 \times 2 \times 2 \times 7 \times 7$

Since it can be seen that 392 must be divided by (7×7) to be a perfect cube

\Rightarrow 49 is the smallest number by which 392 must be divided so that quotient is a perfect cube

Example 5 - Find the cube of each of the following:

(a) (-7)

Solution: $(-7)^3 = (-7) \times (-7) \times (-7) = -343$

(b) $1\frac{2}{3}$

Solution: $\left(1\frac{2}{3}\right)^3 = \left(\frac{5}{3}\right)^3 = \frac{5^3}{3^3} = \frac{5 \times 5 \times 5}{3 \times 3 \times 3} = \frac{125}{27}$

(c) 2.5

Solution: $(2.5)^3 = \left(\frac{25}{10}\right)^3 = \left(\frac{5}{2}\right)^3 = \frac{5^3}{2^3} = \frac{5 \times 5 \times 5}{2 \times 2 \times 2} = \frac{125}{8}$

(d) 0.06

Solution: $(0.06)^3 = \left(\frac{6}{100}\right)^3 = \left(\frac{3}{50}\right)^3 = \frac{3^3}{(50)^3} = \frac{3 \times 3 \times 3}{50 \times 50 \times 50} = \frac{27}{125000}$

Exercise 4A

Question 1 - Evaluate:

(a) $(8)^3$

Solution: $8^3 = 8 \times 8 \times 8 = 512$

(b) $(15)^3$

Solution: $(15)^3 = 15 \times 15 \times 15 = 3375$

(c) $(21)^3$

Solution: $(21)^3 = 21 \times 21 \times 21 = 9261$

(d) $(60)^3$

Solution: $(60)^3 = 60 \times 60 \times 60 = 216000$

Question 2 - Evaluate:

(a) $(1.2)^3$

Solution: $(1.2)^3 = \left(\frac{12}{10}\right)^3 = \left(\frac{6}{5}\right)^3 = \frac{6^3}{5^3} = \frac{6 \times 6 \times 6}{5 \times 5 \times 5} = \frac{216}{125}$

(b) $(3.5)^3$

Solution: $(3.5)^3 = \left(\frac{35}{10}\right)^3 = \left(\frac{7}{2}\right)^3 = \frac{7^3}{2^3} = \frac{7 \times 7 \times 7}{2 \times 2 \times 2} = \frac{343}{8}$

(c) $(0.8)^3$

Solution: $(0.8)^3 = \left(\frac{8}{10}\right)^3 = \left(\frac{4}{5}\right)^3 = \frac{4^3}{5^3} = \frac{4 \times 4 \times 4}{5 \times 5 \times 5} = \frac{64}{125}$

(d) $(0.05)^3$

Solution: $(0.05)^3 = \left(\frac{5}{100}\right)^3 = \left(\frac{1}{20}\right)^3 = \frac{1^3}{(20)^3} = \frac{1 \times 1 \times 1}{20 \times 20 \times 20} = \frac{1}{8000}$

(e) $(1.2)^3$

Solution: $(1.2)^3 = \left(\frac{12}{10}\right)^3 = \left(\frac{6}{5}\right)^3 = \frac{6^3}{5^3} = \frac{6 \times 6 \times 6}{5 \times 5 \times 5} = \frac{216}{125}$

Question 3 - Evaluate:

(a) $\left(\frac{4}{7}\right)^3$

Solution: $\left(\frac{4}{7}\right)^3 = \frac{4^3}{7^3} = \frac{4 \times 4 \times 4}{7 \times 7 \times 7} = \frac{64}{343}$

(b) $\left(\frac{10}{11}\right)^3$

Solution: $\left(\frac{10}{11}\right)^3 = \frac{10^3}{11^3} = \frac{10 \times 10 \times 10}{11 \times 11 \times 11} = \frac{1000}{1331}$

(c) $\left(\frac{1}{15}\right)^3$

Solution: $\left(\frac{1}{15}\right)^3 = \frac{1^3}{(15)^3} = \frac{1 \times 1 \times 1}{15 \times 15 \times 15} = \frac{1}{3375}$

(d) $\left(1\frac{3}{10}\right)^3$

Solution: $\left(1\frac{3}{10}\right)^3 = \left(\frac{13}{10}\right)^3 = \frac{(13)^3}{(10)^3} = \frac{13 \times 13 \times 13}{10 \times 10 \times 10} = \frac{2197}{1000}$

Question 4 – Which of the following numbers are perfect cubes? In case of perfect cube, find the number whose cube is the given number.

(a) 125

Solution - First we resolve 125 into prime factors:

5	125
5	25
5	5
	1

We can see $125 = 5 \times 5 \times 5$
 $= 5^3$

Since 125 can be expressed as a product of triplet

Hence, 125 is a perfect cube.

And 5 is the number whose cube is 125.

(b) 243

Solution - First we resolve 243 into prime factors:

3	243
3	81
3	27
3	9
3	3
	1

We can see $243 = 3 \times 3 \times 3 \times 3 \times 3$

Since 243 cannot be expressed as a product of triplets

Hence, 243 is not a perfect cube.

(c) 343

Solution - First we resolve 343 into prime factors:

7	343
7	49
7	7
	1

We can see $343 = 7 \times 7 \times 7$

$$= 7^3$$

Since 343 can be expressed as a product of triplet

Hence, 343 is a perfect cube.

And 7 is the number whose cube is 343.

(d) 256

Solution - First we resolve 256 into prime factors:

2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

We can see $256 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

Since 256 cannot be expressed as a product of triplets

Hence, 256 is not a perfect cube.

(e) 8000

Solution - First we resolve 8000 into prime factors:

2	8000
2	4000
2	2000
2	1000
2	500
2	250
5	125
5	25
5	5
	1

We can see $8000 = \underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2} \times \underline{5 \times 5 \times 5}$
 $= 2^3 \times 2^3 \times 5^3 = (2 \times 2 \times 5)^3 = (20)^3$

Since 8000 can be expressed as a product of triplets

Hence, 8000 is a perfect cube.

And 20 is the number whose cube is 8000.

(f) 9261

Solution - First we resolve 9261 into prime factors:

3	9261
3	3087
3	1029
7	343
7	49
7	7
	1

We can see $9261 = \underline{3 \times 3 \times 3} \times \underline{7 \times 7 \times 7}$
 $= 3^3 \times 7^3 = (3 \times 7)^3 = (21)^3$

Since 9261 can be expressed as a product of triplets

Hence, 9261 is a perfect cube.

And 21 is the number whose cube is 9261.

(g) 5324

Solution - First we resolve 5324 into prime factors:

2	5324
2	2662
11	1331
11	121
11	11
	1

We can see $5324 = \underline{11 \times 11 \times 11} \times 2 \times 2$

Since 5324 cannot be expressed as a product of triplets

Hence, 5324 is not a perfect cube.

(h) 3375

Solution - First we resolve 3375 into prime factors:

3	3375
3	1125
3	375
5	125
5	25
5	5
	1

We can see $3375 = \underline{3 \times 3 \times 3} \times \underline{5 \times 5 \times 5}$
 $= 3^3 \times 5^3 = (3 \times 5)^3 = (15)^3$

Since 3375 can be expressed as a product of triplets

Hence, 3375 is a perfect cube.

And 15 is the number whose cube is 3375.

Question 5 - Which of the following are the cubes of even numbers?

- (a) 216
- (b) 729
- (c) 512
- (d) 3375

(e) 1000

Solution - Since the cube of every even number is even.

Thus, 216, 512 and 1000 are the cubes of even numbers.

Question 6 - Which of the following are the cubes of odd numbers?

- (a) 125
- (b) 343
- (c) 1728
- (d) 4096
- (e) 9261

Solution - Since the cube of every odd number is odd.

Thus, 125, 343 and 9261 are the cubes of even numbers.

Question 7 - Find the smallest number by which 1323 must be multiplied so that the product is a perfect cube.

Solution - First we resolve 1323 into prime factors:

3	1323
3	441
3	147
7	49
7	7
	1

We have, $1323 = 3 \times 3 \times 3 \times 7 \times 7$

Since it can be seen that 1323 must be multiplied by 7 to be a perfect cube

Question 8 - Find the smallest number by which 2560 must be multiplied so that the product is a perfect cube

Solution - First we resolve 2560 into prime factors:

2	2560
2	1280
2	640
2	320
2	160
2	80
2	40
2	20
2	10
5	5
	1

We have, $2560 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 5$

Since it can be seen that 2560 must be multiplied by 5 to be a perfect cube

Question 9 - What is the smallest number by which 1600 must be divided so that the quotient is a perfect cube?

Solution - First we resolve 1600 into prime factors:

2	1600
2	800
2	400
2	200
2	100
2	50
5	25
5	5
	1

We have, $1600 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 5 \times 5$

Since it can be seen that 1600 must be divided by (5×5) to be a perfect cube

\Rightarrow 25 is the smallest number by which 1600 must be divided so that quotient is a perfect cube

Question 10 - Find the smallest number by which 8788 must be divided so that the quotient is a perfect cube.

Solution - First we resolve 8788 into prime factors:

2	8788
2	4394
13	2197
13	169
13	13
	1

We have, $8788 = 2 \times 2 \times 13 \times 13 \times 13$

Since it can be seen that 8788 must be divided by (2×2) to be a perfect cube

$\Rightarrow 4$ is the smallest number by which 8788 must be divided so that quotient is a perfect cube.

Short-cut method for finding the cube of a two-digit number

We know that $(a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$

Method: For finding the cube of a two digit number with tens digit = a and unit digit=b, we make four columns headed by a^3 , $(3a^2b)$, $(3ab^2)$, and b^3 .

This method is as same as the column method for squaring a two digit number.

a^2	a^2	b^2	b^2
$\times a$	$\times 3b$	$\times 3a$	$\times b$
<hr/>	<hr/>	<hr/>	<hr/>
a^3	$3a^2b$	$3b^2a$	b^3

Example 1 - Find the value of $(29)^3$ by the short cut method.

Solution - We have a = 2 and b = 9

a^2	a^2	b^2	b^2
$\times a$	$\times 3b$	$\times 3a$	$\times b$
<hr/>	<hr/>	<hr/>	<hr/>
a^3	$3a^2b$	$3b^2a$	b^3

$\begin{array}{r} 4 \\ \times 2 \\ \hline 8 \\ +16 \\ \hline \underline{24} \end{array}$	$\begin{array}{r} 4 \\ \times 27 \\ \hline 108 \\ +55 \\ \hline \underline{163} \end{array}$	$\begin{array}{r} 81 \\ \times 6 \\ \hline 486 \\ +72 \\ \hline \underline{558} \end{array}$	$\begin{array}{r} 81 \\ \times 9 \\ \hline \underline{729} \end{array}$
--	--	--	---

Thus, $(29)^3 = 24389$

Example 2 - Find the value of $(71)^3$ by the short cut method.

Solution - We have $a = 7$ and $b = 1$

$\begin{array}{r} a^2 \\ \times a \\ \hline a^3 \end{array}$	$\begin{array}{r} a^2 \\ \times 3b \\ \hline 3a^2b \end{array}$	$\begin{array}{r} b^2 \\ \times 3a \\ \hline 3b^2a \end{array}$	$\begin{array}{r} b^2 \\ \times b \\ \hline b^3 \end{array}$
--	---	---	--

$\begin{array}{r} 49 \\ \times 7 \\ \hline 343 \\ +14 \\ \hline \underline{357} \end{array}$	$\begin{array}{r} 49 \\ \times 3 \\ \hline 147 \\ +2 \\ \hline \underline{149} \end{array}$	$\begin{array}{r} 1 \\ \times 21 \\ \hline \underline{21} \end{array}$	$\begin{array}{r} 1 \\ \times 1 \\ \hline \underline{1} \end{array}$
--	---	--	--

Thus, $(71)^3 = 357911$

Exercise 4B

Find the value of each of the following using the short-cut method:

Question 1 - $(25)^3$

Solution - We have $a = 2$ and $b = 5$

a^2	a^2	b^2	b^2
$\times a$	$\times 3b$	$\times 3a$	$\times b$
<hr/>	<hr/>	<hr/>	<hr/>
a^3	$3a^2b$	$3b^2a$	b^3

4	4	25	25
$\times 2$	$\times 15$	$\times 6$	$\times 5$
<hr/>	<hr/>	<hr/>	<hr/>
8	60	150	125
$+7$	$+16$	$+12$	
<hr/>	<hr/>	<hr/>	
<u>15</u>	<u>76</u>	<u>162</u>	

Thus, $(25)^3 = 15625$

Question 2 - $(47)^3$

Solution - We have $a = 4$ and $b = 7$

a^2	a^2	b^2	b^2
$\times a$	$\times 3b$	$\times 3a$	$\times b$
<hr/>	<hr/>	<hr/>	<hr/>
a^3	$3a^2b$	$3b^2a$	b^3

$\begin{array}{r} 16 \\ \times 4 \\ \hline 64 \\ +39 \\ \hline \underline{103} \end{array}$	$\begin{array}{r} 16 \\ \times 21 \\ \hline 336 \\ +62 \\ \hline \underline{398} \end{array}$	$\begin{array}{r} 49 \\ \times 12 \\ \hline 588 \\ +34 \\ \hline \underline{622} \end{array}$	$\begin{array}{r} 49 \\ \times 7 \\ \hline \underline{343} \end{array}$
---	---	---	---

Thus, $(47)^3 = 103823$

Question 3 - $(68)^3$

Solution - We have $a = 6$ and $b = 8$

$\begin{array}{r} a^2 \\ \times a \\ \hline a^3 \end{array}$	$\begin{array}{r} a^2 \\ \times 3b \\ \hline 3a^2b \end{array}$	$\begin{array}{r} b^2 \\ \times 3a \\ \hline 3b^2a \end{array}$	$\begin{array}{r} b^2 \\ \times b \\ \hline b^3 \end{array}$
--	---	---	--

$\begin{array}{r} 36 \\ \times 6 \\ \hline 216 \\ +98 \\ \hline \underline{314} \end{array}$	$\begin{array}{r} 36 \\ \times 24 \\ \hline 864 \\ +120 \\ \hline \underline{984} \end{array}$	$\begin{array}{r} 64 \\ \times 18 \\ \hline 1152 \\ +51 \\ \hline \underline{1203} \end{array}$	$\begin{array}{r} 64 \\ \times 8 \\ \hline \underline{512} \end{array}$
--	--	---	---

Thus, $(68)^3 = 314432$

Question 4 - $(84)^3$

Solution - We have $a = 8$ and $b = 4$

a^2	a^2	b^2	b^2
$\times a$	$\times 3b$	$\times 3a$	$\times b$
a^3	$3a^2b$	$3b^2a$	b^3

64	64	16	16
$\times 8$	$\times 12$	$\times 24$	$\times 4$
512	768	384	64
+80	+39	+6	
<u>592</u>	<u>807</u>	<u>390</u>	

Thus, $(84)^3 = 592704$

Cube Roots

The cube root of a number x is that number whose cube gives x . It is denoted by $\sqrt[3]{x}$

Method of finding the cube root of a given number by factorization:

Step1: Express the given number as the product of primes.

Step2: Make groups in triplets of the same prime.

Step3: Find the product of primes, choosing one from each triplet.

Step4: This product is the required cube root of the given number.

Cube root of a negative perfect cube:

$$\sqrt[3]{(-a)} = -a, \text{ for any positive integer 'a'}$$

Cube root of product of integers

$$\sqrt[3]{ab} = (\sqrt[3]{a} \times \sqrt[3]{b})$$

Cube root of a rational number

$$\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$$

Examples:

Example 1 - Evaluate $\sqrt[3]{216}$

Solution - First we resolve 216 into prime factors:

2	216
2	108
2	54
3	27
3	9
3	3
	1

We see that $216 = 2 \times 2 \times 2 \times 3 \times 3 \times 3$

$$\begin{aligned}\text{Thus, } \sqrt[3]{216} &= \sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{3 \times 3 \times 3}} \\ &= 2 \times 3 = 6\end{aligned}$$

Example 2 - Evaluate $\sqrt[3]{2744}$

Solution - First we resolve 2744 into prime factors:

2	2744
2	1372
2	686
7	343
7	49
7	7
	1

We see that $2744 = 2 \times 2 \times 2 \times 7 \times 7 \times 7$

$$\begin{aligned}\text{Thus, } \sqrt[3]{2744} &= \sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{7 \times 7 \times 7}} \\ &= 2 \times 7 = 14\end{aligned}$$

Example 3 - Find the cube root of (-1000)

Solution - We have to find $\sqrt[3]{-1000}$,

$$\text{Since } \sqrt[3]{-1000} = -\sqrt[3]{1000}$$

We resolve 1000 into prime factors:

2	1000
2	500
2	250
5	125
5	25
5	5
	1

We see that $1000 = 2 \times 2 \times 2 \times 5 \times 5 \times 5$

$$\text{Thus, } \sqrt[3]{1000} = \sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{5 \times 5 \times 5}}$$

$$= 2 \times 5 = 10$$

$$\text{Thus, } \sqrt[3]{-1000} = -\sqrt[3]{1000} = -10$$

Example 4 - Evaluate $\sqrt[3]{125 \times 64}$

Solution - Since $\sqrt[3]{ab} = (\sqrt[3]{a} \times \sqrt[3]{b})$

$$\sqrt[3]{125 \times 64} = \sqrt[3]{8000}$$

We resolve 8000 into prime factors:

2	8000
2	4000
2	2000
2	1000
2	500
2	250
5	125
5	25
5	5
	1

We can see $8000 = \underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2} \times \underline{5 \times 5 \times 5}$

$$= 2^3 \times 2^3 \times 5^3 = (2 \times 2 \times 5)^3 = (20)^3$$

$$\text{Thus, } \sqrt[3]{8000} = \sqrt[3]{20 \times 20 \times 20} = 20$$

Example 5 - Evaluate $\sqrt[3]{216 \times (-343)}$

Solution - Since $\sqrt[3]{ab} = (\sqrt[3]{a} \times \sqrt[3]{b})$

$$\text{Thus, } \sqrt[3]{216 \times (-343)} = \sqrt[3]{216} \times \sqrt[3]{-343}$$

We resolve 216 and 343 into prime factors

6	216	7	343
6	36	7	49
6	6	7	7
	1		1

We see that $216 = 6 \times 6 \times 6$

$$343 = 7 \times 7 \times 7$$

$$\begin{aligned} \text{Thus, } \sqrt[3]{216 \times (-343)} &= \sqrt[3]{216} \times \sqrt[3]{-343} = (\sqrt[3]{6 \times 6 \times 6}) \times ((-1)\sqrt[3]{7 \times 7 \times 7}) \\ &= 6 \times (-7) = -42 \end{aligned}$$

Example 6 - Evaluate

(a) $\sqrt[3]{\frac{216}{2197}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

$$\text{Thus, } \sqrt[3]{\frac{216}{2197}} = \frac{\sqrt[3]{216}}{\sqrt[3]{2197}}$$

We resolve 216 and 2197 into prime factors

6	216
6	36
6	6
	1

13	2197
13	169
13	13
	1

We see that $216 = 6 \times 6 \times 6$

$$2197 = 13 \times 13 \times 13$$

$$\text{Thus, } \sqrt[3]{\frac{216}{2197}} = \frac{\sqrt[3]{216}}{\sqrt[3]{2197}} = \frac{\sqrt[3]{6 \times 6 \times 6}}{\sqrt[3]{13 \times 13 \times 13}} = \frac{6}{13}$$

$$(b) \sqrt[3]{\frac{-125}{512}}$$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

$$\text{Thus, } \sqrt[3]{\frac{-125}{512}} = \frac{-\sqrt[3]{125}}{\sqrt[3]{512}}$$

We resolve 125 and 512 into prime factors

5	125
5	25
5	5
	1

8	512
8	64
8	8
	1

We see that $125 = 5 \times 5 \times 5$

$$512 = 8 \times 8 \times 8$$

$$\text{Thus, } \sqrt[3]{\frac{-125}{512}} = \frac{-\sqrt[3]{125}}{\sqrt[3]{512}} = \frac{-\sqrt[3]{5 \times 5 \times 5}}{\sqrt[3]{8 \times 8 \times 8}} = \frac{-5}{8}$$

Exercise 4C

Evaluate:

Question 1: $\sqrt[3]{64}$

Solution - First we resolve 64 into prime factors:

2	64
2	32
2	16
2	8
2	4
2	2
	1

We see that $64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$

Thus, $\sqrt[3]{64} = \sqrt[3]{\underline{2 \times 2 \times 2} \times 2 \times 2 \times 2} = 2 \times 2 = 4$

Question 2: $\sqrt[3]{343}$

Solution - First we resolve 343 into prime factors:

7	343
7	49
7	7
	1

We see that $343 = 7 \times 7 \times 7$

Thus, $\sqrt[3]{343} = \sqrt[3]{\underline{7 \times 7 \times 7}} = 7$

Question 3: $\sqrt[3]{729}$

Solution - First we resolve 729 into prime factors:

3	729
3	243
3	81
3	27
3	9
3	3
	1

We see that $729 = 3 \times 3 \times 3 \times 3 \times 3 \times 3$

$$\text{Thus, } \sqrt[3]{729} = \sqrt[3]{\underbrace{3 \times 3 \times 3} \times \underbrace{3 \times 3 \times 3}} = 3 \times 3 = 9$$

Question 4: $\sqrt[3]{1728}$

Solution - First we resolve 1728 into prime factors:

2	1728
2	864
2	432
2	216
2	108
2	54
3	27
3	9
3	3
	1

We see that $1728 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3$

$$\text{Thus, } \sqrt[3]{1728} = \sqrt[3]{\underbrace{3 \times 3 \times 3} \times \underbrace{2 \times 2 \times 2} \times \underbrace{2 \times 2 \times 2}} = 2 \times 2 \times 3 = 12$$

Question 5: $\sqrt[3]{9261}$

Solution - First we resolve 9261 into prime factors:

3	9261
3	3087
3	1029
7	343
7	49
7	7
	1

We see that $9261 = 7 \times 7 \times 7 \times 3 \times 3 \times 3$

$$\text{Thus, } \sqrt[3]{9261} = \sqrt[3]{\underbrace{3 \times 3 \times 3} \times \underbrace{7 \times 7 \times 7}} = 7 \times 3 = 21$$

Question 6: $\sqrt[3]{4096}$

Solution - First we resolve 4096 into prime factors:

2	4096
2	2048
2	1024
2	512
2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

We see that $4096 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

Thus, $\sqrt[3]{4096} = \sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2}} = 2 \times 2 \times 2 = 16$

Question 7: $\sqrt[3]{8000}$

Solution - First we resolve 8000 into prime factors:

2	8000
2	4000
2	2000
2	1000
2	500
2	250
5	125
5	25
5	5
	1

We see that $8000 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 5 \times 5 \times 5$

Thus, $\sqrt[3]{8000} = \sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2} \times \underline{5 \times 5 \times 5}} = 2 \times 2 \times 5 = 20$

Question 8: $\sqrt[3]{3375}$

Solution - First we resolve 3375 into prime factors:

3	3375
3	1125
3	375
5	125
5	25
5	5
	1

We see that $3375 = 3 \times 3 \times 3 \times 5 \times 5 \times 5$

Thus, $\sqrt[3]{3375} = \sqrt[3]{\underline{3 \times 3 \times 3} \times \underline{5 \times 5 \times 5}} = 3 \times 5 = 15$

Question 9: $\sqrt[3]{-216}$

Solution - Since $\sqrt[3]{-216} = -\sqrt[3]{216}$

First we resolve 216 into prime factors:

2	216
2	108
2	54
3	27
3	9
3	3
	1

We see that $216 = 2 \times 2 \times 2 \times 3 \times 3 \times 3$

Thus, $\sqrt[3]{-216} = -\sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{3 \times 3 \times 3}}$
 $= -2 \times 3 = -6$

Question 10: $\sqrt[3]{-512}$

Solution - Since $\sqrt[3]{-512} = -\sqrt[3]{512}$

First we resolve 512 into prime factors:

2	512
2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

We see that $512 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$$\begin{aligned} \text{Thus, } \sqrt[3]{-512} &= -\sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2}} \\ &= -2 \times 2 \times 2 = -8 \end{aligned}$$

Question 11: $\sqrt[3]{-1331}$

Solution - Since $\sqrt[3]{-1331} = -\sqrt[3]{1331}$

First we resolve 1331 into prime factors:

11	1331
11	121
11	11
	1

We see that $1331 = 11 \times 11 \times 11$

$$\begin{aligned} \text{Thus, } \sqrt[3]{-1331} &= -\sqrt[3]{\underline{11 \times 11 \times 11}} \\ &= -11 \end{aligned}$$

Question 12: $\sqrt[3]{\frac{27}{64}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

$$\text{Thus, } \sqrt[3]{\frac{27}{64}} = \frac{\sqrt[3]{27}}{\sqrt[3]{64}}$$

We resolve 27 and 64 into prime factors

3	27
3	9
3	3
	1

2	64
2	32
2	16
2	8
2	4
2	2
	1

We see that $27 = 3 \times 3 \times 3$

$64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$$\text{Thus, } \sqrt[3]{\frac{27}{64}} = \frac{\sqrt[3]{27}}{\sqrt[3]{64}} = \frac{\sqrt[3]{3 \times 3 \times 3}}{\sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2}} = \frac{3}{2 \times 2} = \frac{3}{4}$$

Question 13: $\sqrt[3]{\frac{125}{216}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

$$\text{Thus, } \sqrt[3]{\frac{125}{216}} = \frac{\sqrt[3]{125}}{\sqrt[3]{216}}$$

We resolve 125 and 216 into prime factors

5	125
5	25
5	5
	1

2	216
2	108
2	54
3	27
3	9
3	3
	1

We see that $125 = 5 \times 5 \times 5$

$216 = 2 \times 2 \times 2 \times 3 \times 3 \times 3$

$$\text{Thus, } \sqrt[3]{\frac{125}{216}} = \frac{\sqrt[3]{125}}{\sqrt[3]{216}} = \frac{\sqrt[3]{5 \times 5 \times 5}}{\sqrt[3]{2 \times 2 \times 2 \times 3 \times 3 \times 3}} = \frac{5}{2 \times 3} = \frac{5}{6}$$

Question 14: $\sqrt[3]{\frac{-27}{125}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

Thus, $\sqrt[3]{\frac{-27}{125}} = \frac{-\sqrt[3]{27}}{\sqrt[3]{125}}$

We resolve 125 and 27 into prime factors

5	125
5	25
5	5
	1

3	27
3	9
3	3
	1

We see that $125 = 5 \times 5 \times 5$

$$27 = 3 \times 3 \times 3$$

Thus, $\sqrt[3]{\frac{-27}{125}} = \frac{-\sqrt[3]{27}}{\sqrt[3]{125}} = \frac{-\sqrt[3]{3 \times 3 \times 3}}{\sqrt[3]{5 \times 5 \times 5}} = \frac{-3}{5}$

Question 15: $\sqrt[3]{\frac{-64}{343}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

Thus, $\sqrt[3]{\frac{-64}{343}} = \frac{-\sqrt[3]{64}}{\sqrt[3]{343}}$

We resolve 64 and 343 into prime factors

2	64
2	32
2	16
2	8
2	4
2	2
	1

7	343
7	49
7	7
	1

We see that $64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$$343 = 7 \times 7 \times 7$$

$$\text{Thus, } \sqrt[3]{\frac{-64}{343}} = \frac{-\sqrt[3]{64}}{\sqrt[3]{343}} = \frac{-\sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2}}{\sqrt[3]{7 \times 7 \times 7}} = \frac{-(2 \times 2)}{7} = \frac{-4}{7}$$

Question 16: $\sqrt[3]{64 \times 729}$

Solution - Since $\sqrt[3]{ab} = (\sqrt[3]{a} \times \sqrt[3]{b})$

$$\sqrt[3]{64 \times 729} = \sqrt[3]{64} \times \sqrt[3]{729}$$

We resolve 64 and 729 into prime factors:

2	64	3	729
2	32	3	243
2	16	3	81
2	8	3	27
2	4	3	9
2	2	3	3
	1		1

We can see $64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$$= 2^3 \times 2^3 = (2 \times 2)^3 = (4)^3$$

$$729 = 3 \times 3 \times 3 \times 3 \times 3 \times 3$$

$$= 3^3 \times 3^3 = (3 \times 3)^3 = (9)^3$$

$$\text{Thus, } \sqrt[3]{64 \times 729} = \sqrt[3]{64} \times \sqrt[3]{729} = 4 \times 9 = 36$$

Question 17: $\sqrt[3]{\frac{729}{1000}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

$$\text{Thus, } \sqrt[3]{\frac{729}{1000}} = \frac{\sqrt[3]{729}}{\sqrt[3]{1000}}$$

We resolve 729 and 1000 into prime factors

3	729
3	243
3	81
3	27
3	9
3	3
	1

2	1000
2	500
2	250
5	125
5	25
5	5
	1

We see that $729 = 3 \times 3 \times 3 \times 3 \times 3 \times 3$

$1000 = 2 \times 2 \times 2 \times 5 \times 5 \times 5$

$$\text{Thus, } \sqrt[3]{\frac{729}{1000}} = \frac{\sqrt[3]{729}}{\sqrt[3]{1000}} = \frac{\sqrt[3]{3 \times 3 \times 3 \times 3 \times 3 \times 3}}{\sqrt[3]{2 \times 2 \times 2 \times 5 \times 5 \times 5}} = \frac{3 \times 3}{2 \times 5} = \frac{9}{10}$$

Question 18: $\sqrt[3]{\frac{-512}{343}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

$$\text{Thus, } \sqrt[3]{\frac{-512}{343}} = \frac{-\sqrt[3]{512}}{\sqrt[3]{343}}$$

We resolve 512 and 343 into prime factors

2	512
2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

7	343
7	49
7	7
	1

We see that $512 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$343 = 7 \times 7 \times 7$

$$\text{Thus, } \sqrt[3]{\frac{-512}{343}} = \frac{-\sqrt[3]{512}}{\sqrt[3]{343}} = \frac{-\sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2}}{\sqrt[3]{7 \times 7 \times 7}} = \frac{-(2 \times 2 \times 2)}{7} = \frac{-8}{7}$$

Exercise 4D

Question 1 - Which of the following numbers is a perfect cube?

- (a) 141
- (b) 294
- (c) 216
- (d) 496

Solution (a) 141

We resolve 141 into prime factors

3	141
47	47
	1

$$141 = 3 \times 47$$

Since 141 cannot be expressed as a product of triplets

Hence, 141 is not a perfect cube.

(b) 294

We resolve 294 into prime factors

2	294
3	147
7	49
7	7
	1

$$294 = 2 \times 3 \times 7 \times 7$$

Since 294 cannot be expressed as a product of triplets

Hence, 294 is not a perfect cube.

(c) 216

We resolve 216 into prime factors

2	216
2	108
2	54
3	27
3	9
3	3
	1

$$216 = 2 \times 2 \times 2 \times 3 \times 3 \times 3$$

Since 216 can be expressed as a product of triplets.

Hence, 216 is a perfect cube.

(d) 496

We resolve 496 into prime factors

2	496
2	248
2	124
2	62
31	31
	1

$$496 = 2 \times 2 \times 2 \times 2 \times 31$$

Since 496 cannot be expressed as a product of triplets

Hence, 496 is not a perfect cube.

Question 2 - Which of the following numbers is a perfect cube?

- (a) 1152
- (b) 1331
- (c) 2016
- (d) 739

Solution (a) 1152

We resolve 1152 into prime factors

2	1152
2	576
2	288
2	144
2	72
2	36
2	18
3	9
3	3
	1

$$1152 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3$$

Since 1152 cannot be expressed as a product of triplets

Hence, 115 is not a perfect cube.

(b) 1331

We resolve 1331 into prime factors

11	1331
11	121
11	11
	1

$$1331 = 11 \times 11 \times 11$$

Since 1331 can be expressed as a product of triplets

Hence, 1331 is a perfect cube.

(c) 2016

We resolve 2016 into prime factors

2	2016
2	1008
2	504
2	252
2	126
3	63
3	21
7	7
	1

$$2016 = 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 7$$

Since 2016 cannot be expressed as a product of triplets

Hence, 2016 is not a perfect cube.

(d) 739

Since 739 is a prime number.

$$739 = 1 \times 739$$

Since 739 cannot be expressed as a product of triplets

Hence, 739 is not a perfect cube.

Question 3: $\sqrt[3]{512} = ?$

Solution - First we resolve 512 into prime factors:

2	512
2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

We see that $512 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$$\text{Thus, } \sqrt[3]{512} = \sqrt[3]{\underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2} \times \underline{2 \times 2 \times 2}}$$

$$= 2 \times 2 \times 2 = 8$$

Question 4: $\sqrt[3]{125 \times 64}$

Solution - Since $\sqrt[3]{ab} = (\sqrt[3]{a} \times \sqrt[3]{b})$

$$\sqrt[3]{125 \times 64} = \sqrt[3]{8000}$$

We resolve 8000 into prime factors:

2	8000
2	4000
2	2000
2	1000
2	500
2	250
5	125
5	25
5	5
	1

We can see $8000 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 5 \times 5 \times 5$
 $= 2^3 \times 2^3 \times 5^3 = (2 \times 2 \times 5)^3 = (20)^3$

Thus, $\sqrt[3]{8000} = \sqrt[3]{20 \times 20 \times 20} = 20$

Question 5: $\sqrt[3]{\frac{64}{343}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

Thus, $\sqrt[3]{\frac{64}{343}} = \frac{\sqrt[3]{64}}{\sqrt[3]{343}}$

We resolve 64 and 343 into prime factors

7	343
7	49
7	7
	1

2	64
2	32
2	16
2	8
2	4
2	2
	1

We see that $64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$343 = 7 \times 7 \times 7$

Thus, $\sqrt[3]{\frac{64}{343}} = \frac{\sqrt[3]{64}}{\sqrt[3]{343}} = \frac{\sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2}}{\sqrt[3]{7 \times 7 \times 7}} = \frac{(2 \times 2)}{7} = \frac{4}{7}$

Question 6: $\sqrt[3]{\frac{-512}{729}}$

Solution - Since $\sqrt[3]{\frac{a}{b}} = \frac{\sqrt[3]{a}}{\sqrt[3]{b}}$

Thus, $\sqrt[3]{\frac{-512}{729}} = \frac{-\sqrt[3]{512}}{\sqrt[3]{729}}$

We resolve 512 and 729 into prime factors

2	512
2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

3	729
3	243
3	81
3	27
3	9
3	3
	1

We see that $512 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$729 = 3 \times 3 \times 3 \times 3 \times 3 \times 3$

Thus, $\sqrt[3]{\frac{-512}{729}} = \frac{-\sqrt[3]{512}}{\sqrt[3]{729}} = \frac{-\sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2}}{\sqrt[3]{3 \times 3 \times 3 \times 3 \times 3 \times 3}} = \frac{-(2 \times 2 \times 2)}{3 \times 3} = \frac{-8}{9}$

Question 7 - By what least number should 648 be multiplied to get a perfect cube?

Solution - First we resolve 648 into prime factors:

2	648
2	324
2	162
3	81
3	27
3	9
3	3
	1

We have, $648 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3$

Since it can be seen that 648 must be multiplied by $(3 \times 3 = 9)$ to be a perfect cube

Question 8 - By what least number should 1536 be divided to get a perfect cube?

Solution - First we resolve 1536 into prime factors:

2	1536
2	768
2	384
2	192
2	96
2	48
2	24
2	12
2	6
3	3
	1

We have, $1536 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3$

Since it can be seen that 1536 must be divided by 3 to be a perfect cube

\Rightarrow 3 is the smallest number by which 1536 must be divided so that quotient is a perfect cube

Question 9: $(1\frac{3}{10})^3 = ?$

Solution - Since $1\frac{3}{10} = \frac{13}{10}$

We have to find $(\frac{13}{10})^3$

$$(\frac{13}{10})^3 = \frac{13 \times 13 \times 13}{10 \times 10 \times 10} = \frac{2197}{1000} = 2\frac{197}{1000}$$

Question 10: $(0.8)^3 = ?$

Solution - Since $0.8 = \frac{8}{10}$

We have to find $(\frac{8}{10})^3$

$$(\frac{8}{10})^3 = \frac{8 \times 8 \times 8}{10 \times 10 \times 10} = \frac{512}{1000} = 0.512$$